RADON TESTING Inc.

ZYA LUTED & TRAINED TRAINED / MITRIATION P.O. BOX 7304 PAIRFAX STATION, VA 22029 (708) 680-8080

PROPERTY.

9011 GEORGETOWN PIKE GREAT FALLS VA 22088

DATE: 9/8/98

SUE: CHESHIRE

OAD#: 9873

PURCHARER

RIDLEY

OWNER

BINKLEY

PAID RECEIPT

SELLING AGENT

GAYLE BAILEY REMAX PREFERRED

15428 KENTWELL CIRCLE

CENTREVILLE VA 20120

HPHONE # 256-7949

W PHONE 4: 968-9026

FAX # 968-8720

TESTING FER

PEE

2**60.00**

TOTAL PRICE

\$149.00

LIMITATION OF LIABILITY/While we at Radon Testing, Inc. make every effort to maintent the highest general quality control and justiced acreared chacks and verification steps in our princedures, we make NO WARRANTY OF ANY EIRO EXPERIENCE OR INTIGER. DECLUDING WITHOUT LIMITATION ANY INFLICED WARRANTY OF SCRICHANTABILITY OF STREET with remark in any them furnished, information supplied or acryines rendered you by Radon Testing, Inc. Before any action is taken on the basis of test semits or employed given to you by Radon Testing, Inc., we rennermed that forther testing in dama. Neither Radon Testing, Inc., nor any of our completes at agents, shall be included any claim, charge, or demand whether in contract, tert or otherwise for any and it leases, cover, charges, rights and demand, four, charges, rights or demands (including without legislative INTIDENTAL OR CONSEQUENTIAL DAMANCE WHICH ARE EXCLUDED) of any figures or hand arising out of, exceeded with, resulting from, or sectained as a result of any from furnished, inflymation capplied, or service rendered to you by Resides Tasking, Inc.

RADON TESTING INC.

ANALYSIS REPORTING PORM

NAME:

RIDIARY

ATTEMPTE

9011 GEORGETOWN PIKE GREAT FALLS VA 22066

DATE GAMPLE COLLECTED:

9-9-96 - 9-11-96

DATE SAMPLE HECEIVED

Friday, September 11, 1998

DATE SAMPLE ANALYZED

Friday, September 11, 1998

THIS ANALYSIS REPROSENTS THE BADON - 222 CONCENTRATION IN THE AIR ONLY AT THE TIME OF SAMPLING, YOUR MEASUREMENT RESULT IS:

6.2 pCifL

TESTING EQUIPMENT USED: CONTINUOUS MONITOS + E-PERM

THESE RESULTS ARE CONFIDENTIAL AND WILL NOT HE BELEARED TO ANYONE ELEC WITHOUT YOUR PRECEDENT. THIS IS A SCREENING REASUREMENT RESULT. YOU SHOULD NOT INITIATE CONTLY CHANGES OR REPAIRS RECAINS OF THIS MEASUREMENT. IF YOU HAVE RADON LEVELS, WE RECOMMEND YOU MAKE ADMITTANAL LONGER TERM REASUREMENTS. THE FOLLOWING INFORMATION ON RECOMMENDED ACTIONS FOR VARIOUS RADON LEVELS HAS BEEN RETRACTED FROM A CITERING GLINGE TO RADON.

DETERMINANC THE MEET PAR PLIETHER WEVELERMENTS:

IN MOST CASER, THE SCREENING MEASUREMENT IS NOT A RELIABLE MEASURE OF THE AVERAGE RADON LEVEL TO WHICH YOU AND TOUR FAMILY ARE EXPOSED. SINCE RADON LEVELS CAN VARY FROM SEASON TO SEASON AS WELL AS FROM ROOM TO ROOM, THE SCREENING MEASUREMENT ONLY SERVES TO INDICATE THE POTENTIAL POR A RADON PROBLEM. DEPENDING UPON THE RESULT OF TOUR SCREENING MEASUREMENT, YOU MAY NEED TO HAVE POLLOW-UP MEASUREMENTS MADE TO GIVE YOU A RETTER IDEA OF THE AVERAGE RADON LEVEL IN YOUR HOME.

THE POLLOWING CUIDELINGS MAY HE WHEFUL TO YOU IN DETERMINING THE URGENCY OF YOUR NEED FOR POLLOW-UP BRASHHESMENTS AND RESEDEAL, ACTIONS

IF YOUR BUILDING MEASUREMENT RESULT IS LIES THAN ABOUT ON WIL OR LIES THAN ABOUT 4 DOLL.

POLLOW-UP MEASUREMENTS ARE PROBABLY NOT REQUIRED. IV THE SCHRENING MEASUREMENT WAS MADE WITH THE HOUSE CLOSED UP PRIOR TO AND DURING THE TESTING PERIOD, THERE IS ESLATIVELY LITTLE CHANCE THAT THE BADON CONCENTRATION IN YOUR HOME WILL BE GREATER THAN 0.02 WL OR 4 POUL AS AN ANNUAL AVERAGE.

BY YOUR RECEIPEDING MEASUREMENT RESULT IN ABOUT OLD WL TO ABOUT 0.1 WL OR ABOUT 4 pCML TO ABOUT 30 pCM/A

PERFORM POLLOW-UP MEASUREMENTS. EXPOSE DETECTORS POR ONE YEAR, OR MAKE MEASUREMENTS OF MO MORE THAN ONE WERE IN DURATION DURING EACH OF THE FOUR SEASONS. BASED ON YOUR FOLLOW-UP MEASUREMENT RESULTS: EXPOSURES IN THIS HANGE ARE CONSIDERED ABOVE AVERAGE FOR RESIDENTIAL STRUCTURES, YOU SHOULD TAKE ACTION TO LOWER LEVELS TO ABOUT 9.92 WI. (4 pc/l) OR BELOW. WE RECOMMEND THAT YOU TAKE ACTION WITHIN A FEW YEARS, OR SOONER IF LEVELS ARE AT THE UPPER END OF THIS RANGE.

IF YOUR SCREENING MEASUREMENT MERULT IN ABOUT O.1 WL TO ABOUT 1.6 WL OR ABOUT 20 pCI/L/TO ABOUT 200 pCI/L.

PERFORM FOLLOW-UP MEASUREMENTS. EXPOSE DETECTORS FOR NO MORE THAN THREE MONTES. DOOSH AND WINDOWS SHOULD BE CLOSED AS MUCH AS POSSIBLE DURING TESTING. BASED ON YOUR FOLLOW-UP MEASUREMENT RESULTS:

EXPOSURES IN THIS RANGE ARE CONSIDERED GREATLY ABOVE AVERAGE FOR RESIDENTIAL STRUCTURES. YOU SHOULD TAKE ACTION TO REDUCE LEVELS AS PAR BELOW BELOW 0.1 WL (20 PCVL.) AS POSSIBLE. WE RECOMMEND THAT YOU TAKE ACTION WITHIN SEVERAL MODITES.

If your acceptance measurement measure team about 1.0 we or creater than about 1.0 we or creater than believing.

YOU SHOULD PERFORM FOLLOW-UP MEASUREMENTS AS SOON AS POSSIBLE.
EXPORE THE DETECTORS FOR NO MORE THAN UNE WHEK. DOORS AND WINDOWS SHOULD BE
CLOSED AS MUCH AS POSSIBLE DURING TESTING. YOU SHOULD ALSO CONSIDER TAKING
ACTION TO IMMEDIATELY REDUCE THE RADON LEVELS IN YOUR HOME. BASED ON YOUR
FOLLOW-UP MEASUREMENT RESULTS: RESIDENTS SHOULD TAKE ACTION TO REDUCE LEVELS
AS FAR BELOW 1.0 WL (200 PCAL) AS POSSIBLE. WE RECOMMEND THAT YOU TAKE ACTION
WITHIN SEVERAL WEEKS. IF THIS IS NOT POSSIBLE, YOU SHOULD DETERMINE, IN
CONSULTATION WITH APPROPRIATE STATE OR LOCAL HRALTH OR RADIATION PROTECTION
OFFICIALS, IF YOU CAN TEMPORABILY RELOCATE UNTIL THE LEVELS CAN BE REDUCED.
EXPOSURED AMONG THIS RANGE ARE AMONG THE HIGHEST OBSERVED IN HOMES.

REMINISEE: THERE IS INCREASING URGENCY FOR TAKING ACTION AT HIGHER
CONCENTRATIONS OF RADION. THE HIGHER THE RADON LEVEL IN YOUR HOME, THE PASTER
YOU SHOULD TAKE ACTION TO REDUCE YOUR EXPOSURE.

ANY QUESTIONS CALL US AT 690-9090

RADON TESTING, INC. P.O. BOX 7304 PAIRIPAX STATION, VA. 23080

SOURCE EPA

ALTHOUGH RADON TESTING, INC. USES STATE OF THE ART EQUIPMENT, THAT IN MOST INSTANCES INDICATES IF THERE HAS BEEN TAMPERING AND OR POWER INTERRUPTIONS, NO REPRESENTATION IS MADE AS TO THE CONCENTRATION OF BADON - 222 AT THE TEST SETS PRIOR TO, OR SUBSEQUENT TO, THE TIME AND DATE OF THE MEASUREMENT PERIOD. YOU ARE FURTHER ADVISED THAT THE MEASUREMENT CONDITIONS DURING THE EVALUATION WERE NOT CONSTANTLY MONITORED BY RADON TESTING, INC. RADON TESTING, INC. IS UNABLE TO AND DOES NOT PROVIDE ANY REPRESENTATION, WARRANTY OR GUARANTEE CONCERNING THE MAINTENANGE OF THE MEASUREMENT CONDITIONS OR THE MEASURING EQUIPMENT, DUETING THE MEASUREMENT PERIOD. ATTACHED TO OUR BECORDS IS THE OWNER-OCCUPANT AGREEMENT WHICH WAS LEFT AT THE PROPERTY, UNLESS VACANT, FOR SIGNATURE CONFIRMING THE INSTRUCTIONS PERTAINING TO CLOSED HOUSE CONDITIONS SUBSTITUTE ON PERTAINING TO CLOSED HOUSE CONDITIONS SERVED FOLLOWED. IP FOR ANY REASONS THESE CONDITIONS WERE NOT MAINTAINED IN ACCORDANCE WITH THE ABOVE MENTIONED AGREEMENT, THAT FAILURE WOULD INVALIDATE OUR REPORT.

Invalidate (nur report.

You are also advised that the environmental protection agency ("bia") has
stated that a change in the conditions of the structure tested such as
stated that a change in the conditions of the structure tested such as
stitlement chacks in the blab, walls animar from draws, changes in the crawl
space areas, movement in or changes in the bragons, mat increase or decrease the
level of badon in the structure. Therefore radon testing, inc. stresses the
level of badon in the structure. Therefore radon testing, inc. stresses the
level of badon in the structure. Therefore radon testing inc. stresses the
there of long term testing with alpha tracks can be purchased at most
that is easy for the homeowner to use, alpha tracks can be purchased at most
leading hardware stores or theough radon testing, inc.

LEADING HARDWARE STOKES OR THEROUGH SALEM EDITION.

• IF THIS APPEARS AFTER EQUIPMENT TYPE WE CAN NOT TELL IF TREES 18 DECEPTION.

Tome P Ba

RADON TESTING Inc.

EPA LISTED & TRAINED TESTING - MITIGATION

P.O. BOX 7304 FAIRFAX STATION, VA 22039 591-1111

OWNER:	LINK/EY P#	259-5484	DATE: 9-	15-98
PROPERTY :-	9011 Coextan Au		MC: 3 F	12
	DECAT PAlls, LA. 22		_	
PURCHASER	RECOINA LAWRENCE	PHONE#_	702-835-	0777
	PENNY YELKS (WELT			
SELL AGENT		PHONE#	-a	
DIRECTIONS	: > fax to purch	136 200	2-547-15	14
ACCESS :	wee/LB		TIME:	9/16 9-
MLS[-X244]	2553 REMEDIATION	ESTIMATE		
Invoice #	Description	1		Amount
	Install a Fantech or DynaVac centrifugal duct fan or			8308
their equivalent and mitigation system, using 3 or 4				
	In. PVC exposed pipe. Caul	•		
	(wall & slab) where necess	ary. This is kn	own as a	
sub slab vent system. RTI covenants to complete all work set forth herein In a workmanlike manner and in accordance with				
generally accepted practices in the trade. RTI performance of its obligations hereunder is subject				-
to delays caused by strikes, weather, accidents,				
shortages of supplies and simillar delays beyond				
	RTI's control.			
This proposal may be withdrawn by us if not				
	accepted within 7 days.	action of any t	lma lm	
You may cancel this transaction at any time in writing prior to midnight of the third day after the			,	
	date of this agreement.		, artor tile	
	•		Sub Total	830 =
HII WARRANTIES TO MITIGATE RADON LEVEL			550-	
TO BELOW EPA ACTION LEVEL OF 4.0 PC//			Total	830 %
FOR THE PENIOD SET FORTH ON THE REVENSE			Deposit	-
J.J. J. 11.110	~~····		Balance	830 ≈
Customer Si	gnature		_	





1. WARRANTY: The warranty period is one year commencing on the date of this Agreement. Radon Testing, Inc.'s warranty obligation is limited to providing remedial service during Radon Testing, Inc.'s normal business hours and days during the warranty. If during the warranty period, Customer determines that the level of radon in the Customer's property equals or exceeds the Level of 4.0 pCi/l, Radon Testing, Inc. shall, as its sole obligation to the Customer, effect all repairs necessary to reduce the level to below 4.0 pCi/l. Radon Testing, Inc. will perform periodic tests as requested by, and at the cost of, the Customer at the then prevailing testing rates of Radon Testing, Inc. In the event any such test reveals that the Level exceeds 4.0 pCi/l, Radon Testing, Inc. shall refund the cost of such test to the Customer. However, Radon Testing, Inc. shall have no obligation to perform such tests unless and until contracted to by the Customer.

I HOL UT

- 2. WARRANTY LIMITATION AND EXCLUSION. Seller will have no further warranty obligation under this Agreement if the equipment is subjected to abuse, misuse, remodeling or alterations to present structure, negligence or accident or if Purchaser fails to perform any of the duties set forth in this Agreement.
- 3. **DISCLAIMER OF UNSTATED WARRANTIES**. THE WARRANTY PRINTED ABOVE IS THE ONLY WARRANTY APPLICABLE TO THE SERVICES RENDERED UNDER THIS AGREEMENT. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- 4. LIMITATION OF LIABILITY. IT IS UNDERSTOOD AND AGREED THAT SELLER'S LIABILITY WHETHER IN CONTRACT, IN TORT, UNDER ANY WARRANTY, IN NEGLIGENCE OR OTHERWISE SHALL EXCEED THE RETURN OF THE AMOUNT OF THE PRICE PAID BY PURCHASER UNDER THIS AGREEMENT AND UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. THE PRICE STATED FOR THE WORK TO BE PERFORMED UNDER THIS AGREEMENT IS A CONSIDERATION IN THE LIMITING SELLER'S LIABILITY. NO ACTION, REGARDLESS OF FORM, ARISING OUT OF THE TRANSACTIONS UNDER THIS AGREEMENT MAY BE BROUGHT BY PURCHASER MORE THAN ONE YEAR AFTER THE CAUSE OF ACTION AS ACCRUED.
- 5. WAIVER OF WARRANTY: In the event the Customer attempts to repair, replace, alter or in any manner modify any of the work performed by Radon Testing, Inc., all warranties specified in this Agreement shall immediately be deemed void.
- 6. MERGER CLAUSE: Radon Testing, Inc.'s salespersons may have made oral statements about the services described in this Agreement. Such statements do not constitute warranties, shall not be relied upon by the Customer, and are not to be part of the Contract Agreement. The entire Contract Agreement is embodied in this writing. This writing constitutes the final expression of the parties agreement, and it is a complete and exclusive statement of the terms of that agreement.
- 7. FAN WARRANTY: After the first year of this warranty, the Fan will revert to the Manufactures warranty.

JERRY GIESEKE

RADON MEASUREMENT PROFICIENCY #106910T EPA LISTED & TRAINED

PHONE: 690-4933

TO:

OWNER

DATE:

NOVEMBER 18, 1998

RE:

RADON TEST ANALYSIS FOR:

9011 GEORGETOWN PIKE **GREAT FALLS. VA 22066**

TESTING FEE:

PAID

TESTING DEVICE:

CONTINUOUS MONITOR

INSTALLATION DATE: NOVEMBER 11, 1998

REMOVAL DATE:

NOVEMBER 18. 1998

THIS ANALYSIS REPRESENTS THE RADON-222 CONCENTRATION IN THE AIR ONLY AT THE TIME OF SAMPLING. YOUR MEASUREMENT RESULT IS:

1.1 pCI/I

THESE RESULTS ARE CONFIDENTIAL AND WILL NOT BE RELEASED TO ANYONE ELSE WITHOUT YOUR PERMISSION. THIS IS A SCREENING MEASUREMENT RESULT. YOU SHOULD NOT INITIATE COSTLY CHANGES OR REPAIRS BECAUSE OF THIS MEASUREMENT. IF YOU HAVE RADON LEVELS WE RECOMMEND YOU MAKE ADDITIONAL LONGER-TERM MEASUREMENTS.